

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	399	authentication server AND (client user terminal) AND connection AND (713/153, 168,182,183.ccls. 726/2,3,11,12,16,17, 21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:52
L2	313	(remote external) AND authentication server AND (client user terminal) AND connection AND (713/153,168,182,183.ccls. 726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:53
L3	332	(remote external outside) AND authentication server AND (client user terminal) AND connection AND (713/153, 168,182,183.ccls. 726/2,3,11,12,16,17, 21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
L4	85	username AND password AND (remote external outside) AND authentication server AND (client user terminal) AND connection AND (713/153,168,182,183.ccls. 726/2,3,11,12,16,17,21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
L5	68	encrypt\$3 AND username AND password AND (remote external outside) AND authentication server AND (client user terminal) AND connection AND (713/153, 168,182,183.ccls. 726/2,3,11,12,16,17, 21.ccls.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 09:54
L10	57	((single\$1sign\$1on SSO)) AND 726/8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 12:22
L11	2	"7350229".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 12:24

EAST Search History

L12	40	local AND (((single\$1sign\$1on SSO)) AND 726/8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/06 15:20
S1	26361	("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 09:49
S2	911	713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:28
S3	26	(proxy OR gateway) AND virtual private network AND authentication AND server AND client AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:08
S4	27	(proxy OR gateway) AND (virtual private network OR VPN) AND authentication AND server AND client AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:32
S5	2	"5671354".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 11:13
S6	2	"5349642".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 12:35
S7	134	(authentication authority OR proxy OR gateway) AND authentication AND server AND client AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:36
S8	975	(authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 13:44

EAST Search History

S9	116	password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 14:56
S10	1	server client authentication AND password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:27
S11	0	encrypted username AND encrypted password AND password AND username AND (encrypt OR encrypted OR encrypting OR encryption) AND address AND (authentication authority OR proxy OR gateway) AND authentication AND server AND client AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/21 14:56
S12	102	client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:30
S13	51	(user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:35
S14	50	(store OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:35

EAST Search History

S15	50	(store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:36
S16	45	(encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:52
S17	24	(hash OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 10:55
S18	26	(hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:32
S19	156	(hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:33

EAST Search History

S20	156	network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:33
S21	35	authentication server AND network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND (user name OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:51
S22	35	"authentication server" AND network AND (hash OR hashing OR hashed OR message digest) AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:52
S23	71	"authentication server" AND network AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:43

EAST Search History

S24	44	("authentication server") AND ("LAN" OR "local area network") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 17:20
S25	53	("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713/168".ccls. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 17:22
S26	37	intranet AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713/168".ccls. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:07
S27	54	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR central authority) AND ("713".clas. OR "726".clas.) AND (@pd< "20030305" or @ad< "20030305" or @prad< "20030305" or @rlad< "20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:20

EAST Search History

S28	49	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (gateway OR proxy) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:20
S29	54	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (gateway OR proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21
S30	34	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21
S31	35	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND ("user name" OR username) AND client AND server AND password AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:21
S32	35	(intranet OR local area network) AND ("authentication server") AND (encryption OR encrypt OR encrypted OR encrypting) AND ("user name" OR username) AND client AND password AND (proxy OR connection server) AND ("713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:43

EAST Search History

S33	3	proxy server AND separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:50
S34	7	gateway AND separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:51
S35	10	separate authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:54
S36	144	connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:54
S37	134	client AND connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:55
S38	123	address AND client AND connection server AND authentication server AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 08:55
S39	2	"6253327".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:40
S40	56	remote AND "authentication server" AND network AND (encryption OR encrypt OR encrypted OR encrypting) AND (store OR stored OR storing OR storage OR media OR medium) AND ("user name" OR username) AND client AND server AND password AND address AND (connection server OR gateway OR proxy OR intermediary OR central authority) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 09:43

EAST Search History

S41	2	"7233997".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 14:57
S42	37	authentication server AND (client user terminal) AND network connection AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/02 16:51
S43	56	authentication server AND (client user terminal) AND network connection AND 713/168.ccls. AND (@pd<"20030305" or @ad<"20030305" or @prad<"20030305" or @rlad<"20030305")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/02 17:28